

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	MEDICAID, HIVSNP, HARP
GENERAL INFO	30	25	54	Member ID	Member ID should be Medicaid Client ID Number (CIN). For Medicaid: AA#####A For CHP: 0##### or 5#####
GENERAL INFO	8	55	62	Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	63	64	Member Months	The member month contribution this member adds according to the Enrollment by Product Line measure. Valid values are between 0 - 12.
GENERAL INFO	1	65	65	Sex	Enter: The gender assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed
ABA	1	66	66	Retired	blank
ABA	1	67	67	Retired	blank
WCC	1	68	68	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	69	69	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	70	70	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	71	71	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	72	72	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	73	73	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	74	74	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	75	75	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	76	76	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	77	77	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	78	78	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	79	79	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	80	80	Denominator for Childhood Immunization Status (CIS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS	1	81	81	Numerator for Childhood Immunization Status (CIS): DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	82	82	Numerator for Childhood Immunization Status (CIS): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	83	83	Numerator for Childhood Immunization Status (CIS): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	84	84	Numerator for Childhood Immunization Status (CIS): HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	85	85	Numerator for Childhood Immunization Status (CIS): HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	86	86	Numerator for Childhood Immunization Status (CIS): VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	87	87	Numerator for Childhood Immunization Status (CIS): PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	88	88	Numerator for Childhood Immunization Status (CIS): HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	89	89	Numerator for Childhood Immunization Status (CIS): RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	90	90	Numerator for Childhood Immunization Status (CIS): Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	91	91	Numerator for Childhood Immunization Status (CIS): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	92	92	Numerator for Childhood Immunization Status (CIS): Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	93	93	Numerator for Childhood Immunization Status (CIS): Combo 4	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	94	94	Numerator for Childhood Immunization Status (CIS): Combo 5	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	95	95	Numerator for Childhood Immunization Status (CIS): Combo 6	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	96	96	Numerator for Childhood Immunization Status (CIS): Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS	1	97	97	Numerator for Childhood Immunization Status (CIS): Combo 8	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	98	98	Numerator for Childhood Immunization Status (CIS): Combo 9	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	99	99	Numerator for Childhood Immunization Status (CIS): Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	100	100	Denominator for Immunizations for Adolescents (IMA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA	1	101	101	Numerator for Immunizations for Adolescents (IMA): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	102	102	Numerator for Immunizations for Adolescents (IMA): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	103	103	Numerator for Immunizations for Adolescents (IMA): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	104	104	Numerator for Immunizations for Adolescents (IMA): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	105	105	Numerator for Immunizations for Adolescents (IMA): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LSC	1	106	106	Denominator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LSC	1	107	107	Numerator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS	1	108	108	Removed from PLD- See BCS-E	blank
BCS	1	109	109	Removed from PLD- See BCS-E	blank
CCS	1	110	110	Denominator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS	1	111	111	Numerator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	112	112	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	113	113	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	114	114	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	115	115	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CWP	2	116	117	Denominator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	118	119	Numerator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	120	121	Denominator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	122	123	Numerator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	124	125	Denominator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	126	127	Numerator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	128	129	Denominator Total	blank
CWP	2	130	131	Numerator Total	blank
SPR	1	132	132	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPR	1	133	133	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PCE	2	134	135	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
PCE	2	136	137	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PCE	2	138	139	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
MMA	1	140	140	Retired	blank
MMA	1	141	141	Retired	blank
MMA	1	142	142	Retired	blank
MMA	1	143	143	Retired	blank
MMA	1	144	144	Retired	blank
MMA	1	145	145	Retired	blank
MMA	1	146	146	Retired	blank
MMA	1	147	147	Retired	blank
MMA	1	148	148	Retired	blank
MMA	1	149	149	Retired	blank
MMA	1	150	150	Retired	blank
MMA	1	151	151	Retired	blank
AMR	1	152	152	Denominator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	153	153	Numerator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AMR	1	154	154	Denominator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	155	155	Numerator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	156	156	Denominator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	157	157	Numerator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	158	158	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	159	159	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CBP	1	160	160	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	161	161	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PBH	1	162	162	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PBH	1	163	163	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	164	164	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	165	165	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	166	166	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	167	167	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	168	168	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	169	169	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	170	170	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	171	171	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CDC	1	172	172	Retired	blank
CDC	1	173	173	Retired	blank
CDC	1	174	174	Retired	blank
CDC	1	175	175	Retired	blank
CDC	1	176	176	Retired	blank
CDC	1	177	177	Retired	blank
CDC	1	178	178	Retired	blank
CDC	1	179	179	Retired	blank
CDC	1	180	180	Retired	blank
CDC	1	181	181	Retired	blank
CDC	1	182	182	Retired	blank
CDC	1	183	183	Retired	blank
CDC	1	184	184	Retired	blank
CDC	1	185	185	Retired	blank
SPD	1	186	186	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	187	187	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	188	188	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	189	189	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	190	190	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMM	1	191	191	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	192	192	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	193	193	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	194	194	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	195	195	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	196	196	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUH	2	197	198	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	199	200	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUH	2	201	202	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	203	204	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	205	206	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	207	208	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	209	210	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	211	212	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	213	214	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	215	216	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	217	218	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	219	220	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
SSD	1	221	221	Denominator for Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SSD	1	222	222	Numerator for Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SMD	1	223	223	Denominator for Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SMD	1	224	224	Numerator for Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SMC	1	225	225	Denominator for Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SMC	1	226	226	Numerator for Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SAA	1	227	227	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SAA	1	228	228	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
APM	1	229	229	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	230	230	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	231	231	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	232	232	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	233	233	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	234	234	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
NCS	1	235	235	Denominator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
NCS	1	236	236	Numerator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	2	237	238	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	239	240	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	241	242	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	243	244	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	245	246	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	247	248	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	249	250	Denominator Total - Removed	blank
URI	2	251	252	Numerator Total -Removed	blank
AAB	2	253	254	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	255	256	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	257	258	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AAB	2	259	260	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	261	262	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	263	264	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	265	266	Denominator Total - Removed	blank
AAB	2	267	268	Numerator Total -Removed	blank
LBP	1	269	269	Moved to group with other age stratifications	blank
LBP	1	270	270	Moved to group with other age stratifications	blank
AAP	1	271	271	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	272	272	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	273	273	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	274	274	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	275	275	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	276	276	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CAP	1	277	277	Retired	blank
CAP	1	278	278	Retired	blank
CAP	1	279	279	Retired	blank
CAP	1	280	280	Retired	blank
CAP	1	281	281	Retired	blank
CAP	1	282	282	Retired	blank
CAP	1	283	283	Retired	blank
CAP	1	284	284	Retired	blank
ADV	1	285	285	Denominator for Annual Dental Visit (ADV): 2-3 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	286	286	Numerator for Annual Dental Visit (ADV): 2-3 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	287	287	Denominator for Annual Dental Visit (ADV): 4-6 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	288	288	Numerator for Annual Dental Visit (ADV): 4-6 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	289	289	Denominator for Annual Dental Visit (ADV): 7-10 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
ADV	1	290	290	Numerator for Annual Dental Visit (ADV): 7-10 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	291	291	Denominator for Annual Dental Visit (ADV): 11-14 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	292	292	Numerator for Annual Dental Visit (ADV): 11-14 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	293	293	Denominator for Annual Dental Visit (ADV): 15-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	294	294	Numerator for Annual Dental Visit (ADV): 15-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	295	295	Denominator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	296	296	Numerator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	2	297	298	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET) 13-17 years old	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	299	300	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment 13-17 year olds Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	301	302	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	303	304	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	305	306	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	307	308	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	309	310	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	311	312	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	313	314	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	315	316	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	317	318	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 18-64 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	2	319	320	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 18-64 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	321	322	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	323	324	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 18-64 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	325	326	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 18-64 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	327	328	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	329	330	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	331	332	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	333	334	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	335	336	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	337	338	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	339	340	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
APP	1	341	341	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	342	342	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	343	343	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	344	344	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	345	345	See W30	blank
W15	1	346	346	See W30	blank
W15	1	347	347	See W30	blank
W15	1	348	348	See W30	blank
W15	1	349	349	See W30	blank
W15	1	350	350	See W30	blank
W15	1	351	351	See W30	blank
W15	1	352	352	See W30	blank
W34	1	353	353	See WCV	blank

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
W34	1	354	354	See WCV	blank
AWC	1	355	355	See WCV	blank
AWC	1	356	356	See WCV	blank
FUM	2	357	358	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	359	360	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	361	362	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	363	364	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	365	366	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	367	368	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	369	370	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	371	372	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	373	374	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	375	376	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	377	378	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	379	380	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	381	382	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	383	384	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	385	386	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	387	388	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUA	2	389	390	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	391	392	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
ADL	1	393	393	ADL not collected for MY2022	blank
ADL	1	394	394	ADL not collected for MY2022	blank
ADL	1	395	395	ADL not collected for MY2022	blank
ADL	1	396	396	ADL not collected for MY2022	blank
ADL	1	397	397	ADL not collected for MY2022	blank
COL	1	398	398	Removed to group age denominators together	Blank
COL	1	399	399	Removed to group age numerators together	Blank
POD-N	1	400	400	Denominator for Initiation of Pharmacotherapy upon New Episode of Opioid Dependence (POD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
POD-N	1	401	401	Numerator for Initiation of Pharmacotherapy upon New Episode of Opioid Dependence (POD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
POA	1	402	402	Denominator for Use of Pharmacotherapy for Alcohol Use or Dependence (POA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
POA	1	403	403	Numerator for Use of Pharmacotherapy for Alcohol Use or Dependence (POA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HDO	1	404	404	Denominator for Use of Opioids at High Dosage (UOD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HDO	1	405	405	Numerator for Use of Opioids at High Dosage (UOD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	406	406	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	407	407	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	408	408	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	409	409	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
POD	2	410	411	Denominator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	412	413	Numerator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	414	415	Denominator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
POD	2	416	417	Numerator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	418	419	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	420	421	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	422	423	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	424	425	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	426	427	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	428	429	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	430	431	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	432	433	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	434	435	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	436	437	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	438	439	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	440	441	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
KED	1	442	442	Denominator for Kidney Health Evaluation for Patients With Diabetes: 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	443	443	Numerator for Kidney Health Evaluation for Patients With Diabetes: 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	444	444	Denominator for Kidney Health Evaluation for Patients With Diabetes: 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	445	445	Numerator for Kidney Health Evaluation for Patients With Diabetes: 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	446	446	Denominator for Kidney Health Evaluation for Patients With Diabetes: 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
KED	1	447	447	Numerator for Kidney Health Evaluation for Patients With Diabetes: 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	448	448	Denominator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	449	449	Numerator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	450	450	Denominator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	451	451	Numerator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	452	452	Denominator for Child and Adolescent Well-Care Visits: 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	453	453	Numerator for Child and Adolescent Well-Care Visits: 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	454	454	Denominator for Child and Adolescent Well-Care Visits: 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	455	455	Numerator for Child and Adolescent Well-Care Visits: 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	456	456	Denominator for Child and Adolescent Well-Care Visits: 18-21 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	457	457	Numerator for Child and Adolescent Well-Care Visits: 18-21 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS-E	1	458	458	Denominator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS-E	1	459	459	Numerator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	460	460	Removed to group age denominators together	Blank
COL-E	1	461	461	Removed to group age denominators together	Blank
AIS-E	1	462	462	Denominator 1 for Adult Immunization Status	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	463	463	Numerator for Adult Immunization Status: Influenza (Population Criteria 1)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	464	464	Numerator for Adult Immunization Status: Td/Tdap (Population Criteria 2)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	465	465	Denominator 3 for Adult Immunization Status	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AIS-E	1	466	466	Numerator for Adult Immunization Status: Zoster (Population C	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PRS-E	2	467	468	Denominator for Prenatal Immunization Status	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PRS-E	2	469	470	Numerator for Prenatal Immunization Status: Influenza (Population Criteria 1)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	471	472	Numerator for Prenatal Immunization Status: Td/Tdap (Population Criteria 2)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DSF-E	1	473	473	Denominator 1 for Depression Screening and Follow-up: 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	474	474	Numerator Depression Screening (Population Criteria 1): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	475	475	Denominator 1 for Depression Screening and Follow-up: 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	476	476	Numerator Depression Screening (Population Criteria 1): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	477	477	Denominator 1 for Depression Screening and Follow-up: 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	478	478	Numerator Depression Screening (Population Criteria 1): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	479	479	Denominator 2 for Depression Screening and Follow-up: 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	480	480	Numerator Follow-Up on Positive Screen (Population Criteria 2): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	481	481	Denominator 2 for Depression Screening and Follow-up: 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	482	482	Numerator Follow-Up on Positive Screen (Population Criteria 2): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	483	483	Denominator 2 for Depression Screening and Follow-up: 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	484	484	Numerator Follow-Up on Positive Screen (Population Criteria 2): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PDS-E	2	485	486	Denominator 1 for Postpartum Depression Screening	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	487	488	Numerator 1 for Postpartum Depression Screening	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PDS-E	2	489	490	Denominator 2 for Postpartum Depression Follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	491	492	Numerator 2 for Postpartum Depression Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CRE	1	493	493	Denominator for Cardiac Rehabilitation Initiation 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	494	494	Numerator Initiation: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	495	495	Denominator for Cardiac Rehabilitation Initiation 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	496	496	Numerator Initiation: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	497	497	Denominator for Cardiac Rehabilitation Engagement 1 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	498	498	Numerator Engagement 1: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	499	499	Denominator for Cardiac Rehabilitation Engagement 1 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	500	500	Numerator Engagement 1: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	501	501	Denominator for Cardiac Rehabilitation Engagement 2 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	502	502	Numerator Engagement 2: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	503	503	Denominator for Cardiac Rehabilitation Engagement 2 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	504	504	Numerator Engagement 2: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	505	505	Denominator for Cardiac Rehabilitation Achievement 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	506	506	Numerator Achievement: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	507	507	Denominator for Cardiac Rehabilitation Achievement 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	508	508	Numerator Achievement: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DEV-N	1	509	509	Moved to group with appropriate denominators	Blank
DEV-N	1	510	510	Moved to group with appropriate denominators	Blank
DEV-N	1	511	511	Moved to group with appropriate denominators	Blank
DEV-N	1	512	512	Moved to group with appropriate denominators	Blank
DEV-N	1	513	513	Moved to group with appropriate denominators	Blank
BPD	1	514	514	Denominator for Blood Pressure Control for Patients with Diabetes	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPD	1	515	515	Numerator for Blood Pressure Control for Patients with Diabetes	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HBD	1	516	516	Denominator for Hemoglobin A1c Control for Patients with Diabetes	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HBD	1	517	517	Numerator for HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HBD	1	518	518	Numerator for HbA1c Poor Control >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
EED	1	519	519	Denominator for Eye Exam for Patients with Diabetes	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
EED	1	520	520	Numerator for Eye Exam for Patients with Diabetes	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	2	521	522	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	523	524	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	525	526	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	527	528	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	529	530	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	531	532	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	533	534	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	535	536	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of Other substance use disorder, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	537	538	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of other substance use disorder 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AXR	2	539	540	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m -17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	541	542	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	543	544	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	545	546	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	547	548	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	549	550	Numerator for Antibiotic Utilization for Respiratory Conditions 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
ADD-E	1	551	551	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	552	552	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	553	553	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	554	554	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PND-E	2	555	556	Denominator for Prenatal Depression Screening and Follow-Up-Electronic: Demominator 1 Initial Popuation	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	557	558	Numerator for Prenatal Depression Screening and Follow-Up-Electronic: Numerator 1 Depression Screening	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	559	560	Denominator for Prenatal Depression Screening and Follow Up Electronic: Denominator 2 All deliveries from Numerator 1 with a positive finding for depression during pregnancy	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	561	562	Numerator for Prenatal Depression Screening and Follow-Up-Electronic: Numerator 2—Follow-Up on Positive Screen	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
General Info	1	563	563	Race	Enter the member's race: 1=White 2=Black or African American 3=American Indian/Alaskan Native 4=Asian 5=Native Hawaiian/Pacific Islander 6=SomeOtherRace 7=Two or more races 8=AskedButNoAnswer 9=Unknown

NYS MY2022 Patient-Level Detail File Specifications
MEDICAID

Revision date: November 22, 2022

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
General Info	1	564	564	Ethnicity	Enter the Member's ethnicity: 1=Hispanic or Latino 2=Non-Hispanic or Latino 9=Unknown 0=Asked but not answered
General Info	2	565	566	Indirect Race Estimate-Source of Race Data	Enter the indirectly estimated probability of the member's race being White as a percentage of 100- Provide the source of race data: 20 = Health Plan Direct (Direct) 21 = CMS databases (Direct) 23 = Surname Analysis (Indirect) 24 = Geo-coding Analysis (Indirect) 28 = Unknown (use this when race is unknown or asked but no answer) 29= Other (direct) 30 = Other (indirect)
General Info	2	567	568	Indirect Race Estimate-Source of Ethnicity Data	Enter the indirectly estimated probability of the member's race being Black as a percentage of 100- Provide the source of ethnicity data: 20 = Health Plan Direct (Direct) 21 = CMS databases (Direct) 23 = Surname Analysis (Indirect) 24 = Geo-coding Analysis (Indirect) 28 = Unknown (use this when ethnicity is unknown or asked but no answer) 29= Other (direct) 30 = Other (indirect)
General Info	3	569	571	Indirect Race Estimate-Blank	Removed - can leave blank '000'
General Info	3	572	574	Indirect Race Estimate-Blank	Removed - can leave blank '000'
General Info	3	575	577	Indirect Race Estimate-Blank	Removed - can leave blank '000'
General Info	3	578	580	Indirect Race Estimate-Blank	Removed - can leave blank '000'
General Info	3	581	583	Indirect Race Estimate-Blank	Removed - can leave blank '000'
General Info	3	584	586	Indirect Race Estimate-Blank	Removed - can leave blank '000'
General Info	3	587	589	Indirect Race Estimate-Blank	Removed - can leave blank '000'
General Info	3	590	592	Indirect Race Estimate-Blank	Removed - can leave blank '000'
General Info	3	593	595	Indirect Race Estimate-Blank	Removed - can leave blank '000'
General Info	3	596	598	Indirect Race Estimate-Blank	Removed - can leave blank '000'
COL	1	599	599	Denominator for Colorectal Cancer Screening (COL): 46-49 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL	1	600	600	Numerator for Colorectal Cancer Screening (COL): 46-49 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL	1	601	601	Denominator for Colorectal Cancer Screening (COL): 50-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL	1	602	602	Numerator for Colorectal Cancer Screening (COL): 50-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	603	603	Denominator for Colorectal Cancer Screening (COL-E): 46-49 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	604	604	Numerator for Colorectal Cancer Screening (COL-E): 46-49 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
COL-E	1	605	605	Denominator for Colorectal Cancer Screening (COL-E): 50-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	606	606	Numerator for Colorectal Cancer Screening (COL-E): 50-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	607	607	Denominator for COVID-19 Vaccination Status (CVS): Primary Series 6 months - 4 years old	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	608	608	Numerator for COVID-19 Vaccination Status (CVS): Primary Series 6 months - 4 years old	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	609	609	Denominator for COVID-19 Vaccination Status: Primary Series 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	610	610	Numerator for COVID-19 Vaccination Status: Primary Series 5-11 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	611	611	Denominator for COVID-19 Vaccination Status: Primary Series 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	612	612	Numerator for COVID-19 Vaccination Status: Primary Series 12-17 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	613	613	Denominator for COVID-19 Vaccination Status: Primary Series 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	614	614	Numerator for COVID-19 Vaccination Status: Primary Series 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	615	615	Denominator for COVID-19 Vaccination Status: Booster 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	616	616	Numerator for COVID-19 Vaccination Status: Booster 5-11 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	617	617	Denominator for COVID-19 Vaccination Status: Booster 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	618	618	Numerator for COVID-19 Vaccination Status: Booster 12-17 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	619	619	Denominator for COVID-19 Vaccination Status: Booster 18- 64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	620	620	Numerator for COVID-19 Vaccination Status: Booster 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	621	621	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	622	622	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
LBP	1	623	623	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	624	624	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	625	625	Denominator for Development Screening 1 : The children in the eligible population who turned 1 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	626	626	Numerator: First Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	627	627	Denominator for Development Screening 2: The children in the eligible population who turned 2 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	628	628	Numerator: Second Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	629	629	Denominator for Development Screening 3: The children in the eligible population who turned 3 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	630	630	Numerator: Third Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Change Log MEDICAID	Revision date: November 22, 2022
---	----------------------------------

Version	Date	Data Element	Change Summary
Specification Release MY2022	11/9/2021	Multiple	Initial MY2022 update per HEDIS 2022 specifications.
Clarification #2	12/21/2021	Multiple	There were multiple places where the column start did not begin in the correct location, creating duplicate column figures. This has been corrected.
Clarification #2	12/21/2021	General Info	Added Race and Ethnicity Column Start 324-361.
Clarification #2	12/21/2021	IET	Clarified that the IET age stratification is columns 306-316 is 18-84 and not 18+.
Clarification #4	6/16/2022	COL	Removed colorectal from 380-381 to group the new age stratifications together.
Clarification #4	6/16/2022	COL-E	Removed colorectal from 442-443 to group the new age stratifications together.
Clarification #4	6/16/2022	COL	Added new colorectal age stratifications to 362-369.
Clarification #4	6/16/2022	COL-E	Added new colorectal age stratifications to 370-377.
Clarification #4	6/16/2022	CVS	Added the new COVID-19 Immunization Status Measure to 378-405.
Clarification # 6	9/1/2022	Multiple	Beginning in column 564, the new measures, COL, COL-E, and CVS had two spaces for data entry. This has been corrected to 1 space. This impacts 564-585.
Clarification # 6	9/1/2022	Multiple	After column 502 (EED) the IET column started at 301. This has been corrected and impacts columns 503-585.
Clarification #7	10/19/2022	PND-E	Allows for the member to appear in the measure multiple times.
Clarification #7	10/19/2022	LBP	Removed the measure from 269-270. Combined both age stratifications and located them in 586-589.
Clarification #7	10/19/2022	DEV-N	Removed the measure from 491-495 to allow for grouping with all appropriate denominators. Adding the full numerator and denominator to 590-595.

Clarification #7	10/19/2022	HBD	Fixed the acronym from HBP (=typo) to HBD. Specified that the Numerator 2 is for HbA1c Poor Control >9%.
Clarification #7	10/19/2022	IET	Changed the numerator and denominator language to reflect the episodic language.
Clarification #8	11/15/2022	IET	Created 2 spaces for the numerator and denominator. This impacts columns from 297 to 332 and 521 to 538. This impacts every column after 298.
Clarification #8	11/15/2022	PND-E	Created 2 spaces for the numerator and denominator. This impacts columns from 549 to 556.
Clarification #8	11/15/2022	General Info	Removed the indirect race and ethnicity estimates from columns 559 to 592. Added source of race data to columns 559 to 560. Added source of ethnicity data to 561 to 562. Reduced the column field size from 3 to 2 for columns 559 to 562.
Clarification #9	11/21/2022	AXR	Updated measure specifications to allow for episodic tracking in numerator and denominator. Increased column length from 1 to 2. This impacts every Column Start and Column End after 540.