

Medically Fragile 0-5 years old HCBS/LOC Functional Algorithm

A child meets "medically fragile" if he/she meets:

- At least one "3" on Criterion 1 **OR**
- At least **TWO** "2" or "3" on Criterion 2

AND

- At least a "2" or "3" on Criterion 3

(such that in the absence of well-trained caregiver or medical personnel that this child's care due to physical disability would be provided in a skilled alternate setting, i.e., hospital, nursing home)

Criterion 1.

Medical Health Module (93)

- Life Threatening (Item 93A)
- Chronicity (Item 93B)
- Intensity of Treatment (Item 93F)

Child Development Module (D)

- Positioning (Item D55)
- Transferring (Item D56)

Criterion 2.

Medical Health Module (93)

- Life Threatening (Item 93A)
- Chronicity (Item 93B)
- Intensity of Treatment (Item 93F)

Child Development Module (D)

- Eating (Item D53)
- Mobility (Item D54)
- Positioning (Item D55)
- Transferring (Item D56)
- Elimination (Item D57)

Criterion 3.

Medical Health Module (93):

- Impairment in Functioning (Item 93E)

Medically Fragile 6-21 years old HCBS/LOC Functional Algorithm

A child meets "medically fragile" if he/she meets:

- At least one "3" on Criterion 1 **OR**
- At least **TWO** "2" or "3" on Criterion 2

AND

- At least a "2" or "3" on Criterion 3

(such that in the absence of well-trained caregiver or medical personnel that this child's care due to physical disability would be provided in a skilled alternate setting, i.e., hospital, nursing home)

Criterion 1.

<u>Medical Health Module (88)</u>	<u>Self-Care Activities of Daily Living Module (89)</u>
<ul style="list-style-type: none">• Life Threatening (Item 88A)• Chronicity (Item 88B)• Intensity of Treatment (Item 88F)	<ul style="list-style-type: none">• Positioning (Item 89G)• Transferring (Item 89H)

Criterion 2.

<u>Medical Health Module (88)</u>	<u>Self-Care Activities of Daily Living Module (89)</u>
<ul style="list-style-type: none">• Life Threatening (Item 88A)• Chronicity (Item 88B)• Intensity of Treatment (Item 88F)	<ul style="list-style-type: none">• Eating (Item 89A)• Toileting (Item 89B)• Mobility (Item 89F)• Positioning (Item 89G)• Transferring (Item 89H)

Criterion 3.

Medical Health Module (88)

- Impairment in Functioning (Item 88E)

Serious Emotional Disturbance (SED) 0-5 years old HCBS/LOC Functional Algorithm

A child meets “SED” if he/she meets:

- At least **ONE “3”** on Criterion 1.1 **OR** Criterion 1.2; **OR**
At least **ONE “2”** on Criterion 1.1 **AND** at least **ONE “2”** on Criterion 1.2; **OR**
At least **TWO “2”** on Criterion 1.2

AND

- At least **ONE “3” **OR** “2”** on Criterion 2 items within **TWO** or more of these five domains
 - Caregiver Needs and Strengths (A)
 - Child Strengths (B)
 - Child Needs and Functioning (C)
 - Risk Behaviors (F)
 - Preschool/Child Care Functioning (94)

Criterion 1.1

<u>Behavioral Health Module (92)</u>	<u>Child Development (D)</u>
<ul style="list-style-type: none">• Attention/Concentration (Item 92A)• Impulsivity (Item 92B)• Anger Control (Item 92G)	<ul style="list-style-type: none">• Agitation (Item D45)• Sensory Reactivity (Item D58)• Emotional Control (Item D59)• Frustration Tolerance/Tantrumming (Item D60)• Temperament (Item D61)

Criterion 1.2

<u>Trauma Symptoms Module (91)</u>	<u>Behavioral Health Module (92)</u>
<ul style="list-style-type: none">• Traumatic Grief (Item 91A)• Re-experiencing (Item 91B)• Hyperarousal (Item 91C)• Avoidance (Item 91D)• Numbing (Item 91E)• Dissociation (Item 91F)• Affective or Physiological Dysregulation (Item 91G)	<ul style="list-style-type: none">• Depression (Item 92C)• Anxiety (Item 92D)• Oppositional (Item 92E)• PICA (Item 92F) <p><u>Risk Behaviors (F)</u></p> <ul style="list-style-type: none">• Self-Harm (Item 69F)

Criterion 2.	
<p><u>Caregiver Needs and Strengths (A)</u></p> <ul style="list-style-type: none"> • Caregiver 1 <ul style="list-style-type: none"> ◦ Decision-Making (Item A14) ◦ Parenting Stress (Item A15) ◦ Care/Treatment Involvement (Item A24) • Caregiver 2 <ul style="list-style-type: none"> ◦ Decision-Making (Item A14) ◦ Parenting Stress (Item A15) ◦ Care/Treatment Involvement (Item A24) • Caregiver 3 <ul style="list-style-type: none"> ◦ Decision-Making (Item A14) ◦ Parenting Stress (Item A15) ◦ Care/Treatment Involvement (Item A24) • Caregiver 4 <ul style="list-style-type: none"> ◦ Decision-Making (Item A14) ◦ Parenting Stress (Item A15) ◦ Care/Treatment Involvement (Item A24) 	<p><u>Child Strengths (B)</u></p> <ul style="list-style-type: none"> • Social Relationships (Item B30) • Relationship Stability (Item B31) <p><u>Child Needs and Functioning (C)</u></p> <ul style="list-style-type: none"> • Attachment (Item C36) • Living Situation (Item C37) • Social Functioning (Item C43) <p><u>Risk Behaviors (F)</u></p> <ul style="list-style-type: none"> • Aggressive Behavior (Item F70) • Fire Setting (Item F71) • Problematic Social Behavior (Item F72) <p><u>Preschool/Child Care Functioning (94)</u></p> <ul style="list-style-type: none"> • Preschool/Child Care Behavior (Item 94B) • Preschool/Child Care Attendance (Item 94D)

Serious Emotional Disturbance (SED) 6-21 years old

HCBS/LOC Functional Algorithm

A child meets “SED” if he/she meets:

- At least **ONE** “3” on Criterion 1.1 **OR** Criterion 1.2; **OR**
At least **ONE** “2” on Criterion 1.1 **AND** at least **ONE** “2” on Criterion 1.2; **OR**
At least **TWO** “2” on Criterion 1.2

AND

- At least **ONE** “3” **OR** “2” on Criterion 2 items within **TWO** or more of these five domains
 - A - Caregiver Needs and Strengths
 - B - Child Strengths
 - C - Child Needs and Functioning
 - D - School/Academic Functioning
 - E - Risk Behaviors

Criterion 1.1

Behavioral Health Module (85)

- Attention/Concentration (Item 85B)
- Impulsivity (Item 85C)
- Anger Control (Item 85I)

Criterion 1.2

Trauma Symptoms Module (84)

- Traumatic Grief (Item 84A)
- Re-experiencing (Item 84B)
- Hyperarousal (Item 84C)
- Avoidance (Item 84D)
- Numbing (Item 84E)
- Dissociation (Item 84F)
- Affective or Physiological Dysregulation (Item 84G)

Behavioral Health Module (85)

- Psychosis (Item 85A)
- Depression (Item 85D)
- Anxiety (Item 85E)
- Oppositional (Item 85F)
- Conduct (Item 85G)
- Emotional Control (Item 85H)
- Attachment (Item 85J)

Risk Behaviors (E)

- Suicide Risk (Item E54)
- Self-Injurious Behavior (Item E55)
- Other Self-Harm (Item E56)
- Danger to Others (Item E57)

<u>Criterion 2.</u>	
<u>Caregiver Needs and Strengths (A)</u> <ul style="list-style-type: none"> • Caregiver 1 <ul style="list-style-type: none"> ◦ Decision-Making (Item A14) ◦ Parenting Stress (Item A15) ◦ Care/Treatment Involvement (Item A24) • Caregiver 2 <ul style="list-style-type: none"> ◦ Decision-Making (Item A14) ◦ Parenting Stress (Item A15) ◦ Care/Treatment Involvement (Item A24) • Caregiver 3 <ul style="list-style-type: none"> ◦ Decision-Making (Item A14) ◦ Parenting Stress (Item A15) ◦ Care/Treatment Involvement (Item A24) • Caregiver 4 <ul style="list-style-type: none"> ◦ Decision-Making (Item A14) ◦ Parenting Stress (Item A15) ◦ Care/Treatment Involvement (Item A24) 	<u>Child Strengths (B)</u> <ul style="list-style-type: none"> • Social Relationships with Adults (Item B30) • Relationship Stability (Item B31) <u>Child Need and Functioning (C)</u> <ul style="list-style-type: none"> • Living Situation (Item C40) • Decision-Making/Judgement (Item C43) <u>School/ Academic Functioning (D)</u> <ul style="list-style-type: none"> • School Behavior (Item D50) • School Attendance (Item D52) <ul style="list-style-type: none"> • <u>Risk Behaviors (E)</u> • Fire Setting (Item E58) • Sexually Reactive Behavior (Item E59) • Sexual Aggression (Item E60) • Delinquent Behavior (Item E61) • Bullying (Item E62) • Runaway (Item E63) • Problematic Social Behavior (Item E64) • Eating Disturbance (Item E65)