

Medicaid Disability Manual

B. With one of the following:

1. Toe contractures or fixed deformity of one or both feet and medical documentation of at least *one* of the following:

a. A documented medical need (see 14.00C6) for a walker, bilateral canes, or bilateral crutches (see [1.00C6d](#)) or a wheeled and seated mobility device involving the use of both hands (see [1.00C6e\(i\)](#)); or

b. An inability to use *one* upper extremity to independently initiate, sustain, and complete work-related activities involving fine and gross movements (see 14.00C7), and a documented medical need (see 14.00C6) for a one-handed, hand-held assistive device (see [1.00C6d](#)) that requires the use of the other upper extremity or a wheeled and seated mobility device involving the use of one hand (see [1.00C6e\(ii\)](#)); or

2. Finger contractures or fixed deformity in both hands and medical documentation of an inability to use *both* upper extremities to the extent that neither can be used to independently initiate, sustain, and complete work-related activities involving fine and gross movements (see 14.00C7); or

3. Atrophy with irreversible damage in one or both lower extremities and medical documentation of at least *one* of the following:

a. A documented medical need (see 14.00C6) for a walker, bilateral canes, or bilateral crutches (see [1.00C6d](#)) or a wheeled and seated mobility device involving the use of both hands (see [1.00C6e\(i\)](#)); or

b. An inability to use *one* upper extremity to independently initiate, sustain, and complete work-related activities involving fine and gross movements (see 14.00C7), and a documented medical need (see 14.00C6) for a one-handed, hand-held assistive device (see [1.00C6d](#)) that requires the use of the other upper extremity or a wheeled and seated mobility device involving the use of one hand (see [1.00C6e\(ii\)](#)); or

4. Atrophy with irreversible damage in *both* upper extremities (see 14.00C8) and medical documentation of an inability to use *both* upper extremities to the extent that neither can be used to independently initiate, sustain, and complete work-related activities involving fine and gross movements (see 14.00C7);

OR

C. Raynaud's phenomenon, characterized by:

1. Gangrene involving at least two extremities; or

2. Ischemia with ulcerations of toes or fingers and medical documentation of at least *one* of the following: